N.P.N. SEMI-ANNUAL SUBJECT INDEX
Of Refining Technology Articles
July-December 1940

Index Number	Subject	Issue	Page
210.	**Physical Properties of Petroleum.**		
214.	**Changing Phase Properties.**		
	.2 Evaporation and Volatility.		
	Seek Vapor Lock Reduction in Aviation Fuel Systems	Nov. 13,	R-417
217.	**Other Properties of Solids and Semi-Solids.**		
	.5 Consistency and Viscosity of Semi-Solids.		
	Propose New Dropping Point Test for Grease Softening Quality	Sept. 4,	R-325
220.	**Chemical Properties of Petroleum.**		
223.	**Hydrocarbon and Their Synthesis.**		
	Synthesize Octanes for Anti-Knock Tests	Sept. 4,	R-322
	.8 Hydrogenation and Catalysis.		
	Mixed Catalysts Promise Optimum in Hydrogenation of Benzene, by Vladimir N. Ipatieff	Aug. 7,	R-280
260.	**Tests of Various Hydrocarbons.**		
263.	**Volatile Fractions.**		
	Significance of Doctor Test for Gasoline Found Negligible, by John Happel and S. P. Cauley	Aug. 7,	R-284
	Doctor Test Has Indirect Value and Saves Refiners Headaches, by Walter A. Schulze	Aug. 7,	R-290
	.1 Motor Fuels.		
	Better Mileage is Now Preferred from Fuel, Engine Development	Sept. 18,	R-349
	C.F.R. Test Engine May be Utilized in Army-Navy Aviation Gasoline Test	Nov. 6,	20
	.3 Volatile Fractions.		
	Petroleum Solvents for Paints Compared by New Solvency Tests, by S. S. Kurtz, Jr.	July 24,	R-270
265.	**Lubricating, Transformer, and Switch Oils.**		
	Compare Pennsylvania Oils in Extensive Engine Tests	July 24,	R-274
	Show Motor Oil Varnish Tendencies With Single-Cylinder Test Engines	Sept. 4,	R-314
	Comb Lube Oil Distillate to Sift Out Undesirables	Sept. 18,	R-350
	Nature of Graphite Impurities Governs Lubricating Quality	Oct. 16,	R-376
268.	**Asphalts, Tars, Road Oils, etc.**		
	Addition Agents in Asphalt Improve Road Construction	Nov. 27,	R-434
270.	**Specifications for Purchase of Petroleum Products.**		
	Army Releases 'Specs' on Aviation Gasoline	Oct. 30,	13
	.1 Standardization of Petroleum Products.		
	A.S.T.M. Standards Activities Break Records at Annual Meet	July 24,	R-274
273.	**Volatile Fractions.**		
	Significance of Doctor Test for Gasoline Found Negligible, by John Happel and S. P. Cauley	Aug. 7,	R-284
	Doctor Test Has Indirect Value and Saves Refiners Headaches, by Walter A. Schulze	Aug. 7,	R-290
610.	**Transportation of Petroleum.**		
615.	**Pipeline Transportation.**		
	.2 Oil Pipeline Design.		
	Go-Devil Separates Oil Slugs in 3.5-Mile Lube Pipeline	Aug. 7,	R-278
700.	**Oil Refineries and Refinery Practice.**		
714.	**Wax Plants.**		
	Emulsion Deoiling Process Separates Oil-Wax Mixtures, by A. H. Schutte	Nov. 13,	R-402
716.	**Natural Gasoline Recovery Plants.**		
	Natural Gasoline Progress Reviewed at A.I.M.E. Meet—W. N. Roper A.I.M.E. Paper	Oct. 30,	R-398
720.	**Refinery Processes: Theoretical Considerations.**		
	Three Refining Developments Described at A.P.I. Sessions	Nov. 20,	16
	.3 Catalysis of Hydrocarbons.		
	Mixed Catalysts Promise Optimum in Hydrogenation of Benzene, by Vladimir N. Ipatieff	Aug. 7,	R-280
721.	**Distillation.**		
	.3 Cracking Distillation.		
	The Gulf Polyform Process, by Povl Ostergaard and E. R. Smoley	Sept. 18,	R-330
	.33 Cracking Processes Using Catalyzers.		
	Catalytic Cracking Economics Complicate Comparisons, by J. S. Carey and H. W. Ortendahl	Oct. 16,	R-370
	Catalytic Cracker Specializes in 100-Octane Fuel Base, by M. G. Van Voorhis	Oct. 30,	R-386
724.	**Desulfurizing.**		
	Total Removal of Sulfur Compounds is Goal of Sweetening Technique, by P. M. Robinson	Aug. 21,	R-298
	Revamped Doctor Plants Minimize Deficiencies, by Charles D. Lowry, Jr.	Aug. 21,	R-300
	Conventional Doctor Treating Adequate with Careful Control, by Paul W. Emery	Aug. 21,	R-302
	Catalytic Desulfurization Solves Problem in High-Sulfur Distillate, by James E. Pew and A. E. Buell	Oct. 2,	R-354
	Solutizer Sweetening Preserves Inhibitor Susceptibility, by D. L. Yabroff, E. L. Walters, A. C. Nixon, and H. B. Minor	Dec. 11,	R-445
	Slurry-Type Copper Treater Stops Octane Number Losses, by R. G. Atkinson	Dec. 11,	R-450
	Catalytic Treating Cuts TEL Expense, M. W. Conn, W.P.R.A. Paper	Dec. 11,	R-454
	Chemicalized Refining Processes Require Treatment of Charge	Dec. 11,	R-456

N.P.N. SEMI-ANNUAL SUBJECT INDEX
Of Refining Technology Articles
July-December 1940

Index Number	Subject	Issue	Page
210.	**Physical Properties of Petroleum.**		
214.	**Changing Phase Properties.**		
	.2 Evaporation and Volatility.		
	Seek Vapor Lock Reduction in Aviation Fuel Systems	Nov. 13,	R-417
217.	**Other Properties of Solids and Semi-Solids.**		
	.5 Consistency and Viscosity of Semi-Solids.		
	Propose New Dropping Point Test for Grease Softening Quality	Sept. 4,	R-325
220.	**Chemical Properties of Petroleum.**		
223.	**Hydrocarbon and Their Synthesis.**		
	Synthesize Octanes for Anti-Knock Tests	Sept. 4,	R-322
	.8 Hydrogenation and Catalysis.		
	Mixed Catalysts Promise Optimum in Hydrogenation of Benzene, by Vladimir N. Ipatieff	Aug. 7,	R-280
260.	**Tests of Various Hydrocarbons.**		
263.	**Volatile Fractions.**		
	Significance of Doctor Test for Gasoline Found Negligible, by John Happel and S. P. Cauley	Aug. 7,	R-284
	Doctor Test Has Indirect Value and Saves Refiners Headaches, by Walter A. Schulze	Aug. 7,	R-290
	.1 Motor Fuels.		
	Better Mileage is Now Preferred from Fuel, Engine Development	Sept. 18,	R-349
	C.F.R. Test Engine May be Utilized in Army-Navy Aviation Gasoline Test	Nov. 6,	20
	.3 Volatile Fractions.		
	Petroleum Solvents for Paints Compared by New Solvency Tests, by S. S. Kurtz, Jr.	July 24,	R-270
265.	**Lubricating, Transformer, and Switch Oils.**		
	Compare Pennsylvania Oils in Extensive Engine Tests	July 24,	R-274
	Show Motor Oil Varnish Tendencies With Single-Cylinder Test Engines	Sept. 4,	R-314
	Comb Lube Oil Distillate to Sift Out Undesirables	Sept. 18,	R-350
	Nature of Graphite Impurities Governs Lubricating Quality	Oct. 16,	R-376
268.	**Asphalts, Tars, Road Oils, etc.**		
	Addition Agents in Asphalt Improve Road Construction	Nov. 27,	R-434
270.	**Specifications for Purchase of Petroleum Products.**		
	Army Releases 'Specs' on Aviation Gasoline	Oct. 30,	13
	.1 Standardization of Petroleum Products.		
	A.S.T.M. Standards Activities Break Records at Annual Meet	July 24,	R-274
273.	**Volatile Fractions.**		
	Significance of Doctor Test for Gasoline Found Negligible, by John Happel and S. P. Cauley	Aug. 7,	R-284
	Doctor Test Has Indirect Value and Saves Refiners Headaches, by Walter A. Schulze	Aug. 7,	R-290
610.	**Transportation of Petroleum.**		
615.	**Pipeline Transportation.**		
	.2 Oil Pipeline Design.		
	Go-Devil Separates Oil Slugs in 3.5-Mile Lube Pipeline	Aug. 7,	R-278
700.	**Oil Refineries and Refinery Practice.**		
714.	**Wax Plants.**		
	Emulsion Deoiling Process Separates Oil-Wax Mixtures, by A. H. Schutte	Nov. 13,	R-402
716.	**Natural Gasoline Recovery Plants.**		
	Natural Gasoline Progress Reviewed at A.I.M.E. Meet—W. N. Roper A.I.M.E. Paper	Oct. 30,	R-398
720.	**Refinery Processes: Theoretical Considerations.**		
	Three Refining Developments Described at A.P.I. Sessions	Nov. 20,	16
	.3 Catalysis of Hydrocarbons.		
	Mixed Catalysts Promise Optimum in Hydrogenation of Benzene, by Vladimir N. Ipatieff	Aug. 7,	R-280
721.	**Distillation.**		
	.3 Cracking Distillation.		
	The Gulf Polyform Process, by Povl Ostergaard and E. R. Smoley	Sept. 18,	R-330
	.33 Cracking Processes Using Catalyzers.		
	Catalytic Cracking Economics Complicate Comparisons, by J. S. Carey and H. W. Ortendahl	Oct. 16,	R-370
	Catalytic Cracker Specializes in 100-Octane Fuel Base, by M. G. Van Voorhis	Oct. 30,	R-386
724.	**Desulfurizing.**		
	Total Removal of Sulfur Compounds is Goal of Sweetening Technique, by P. M. Robinson	Aug. 21,	R-298
	Revamped Doctor Plants Minimize Deficiencies, by Charles D. Lowry, Jr.	Aug. 21,	R-300
	Conventional Doctor Treating Adequate with Careful Control, by Paul W. Emery	Aug. 21,	R-302
	Catalytic Desulfurization Solves Problem in High-Sulfur Distillate, by James E. Pew and A. E. Buell	Oct. 2,	R-354
	Solutizer Sweetening Preserves Inhibitor Susceptibility, by D. L. Yabroff, E. L. Walters, A. C. Nixon, and H. B. Minor	Dec. 11,	R-445
	Slurry-Type Copper Treater Stops Octane Number Losses, by R. G. Atkinson	Dec. 11,	R-450
	Catalytic Treating Cuts TEL Expense, M. W. Conn, W.P.R.A. Paper	Dec. 11,	R-454
	Chemicalized Refining Processes Require Treatment of Charge	Dec. 11,	R-456

Index Number	Subject	Issue	Page
726.	**Decolorizing.**		
	New Thermofor Kiln Data Shown at A.I.C.E. Meet	Dec. 11,	R-442
729.	**Other Refinery Processes.**		
	.7 Alkylation Processes.		
	Destructive Alkylation Produces High-Octane Aviation Gasoline, by D. L. Gol'dshtein and B. A. Englin	July 24,	R-262
	.9 Other Processes.		
	Catalytic Isomerization of Butane Yields 67-74% Isobutane, by B. Moldavskii and T. Nizovkina	Nov. 27,	R-422
730.	**Refinery Construction, Equipment and Materials.**		
732.	**Materials Used in Refinery Construction.**		
	.6 Chromium, Nickel, and Related Alloys.		
	High-Temperature Creep Strength Checked for Low-Alloy Steels, by R. F. Miller, W. G. Benz and W. E. Unverzagt	Aug. 21,	R-306
734.	**Distillation Equipment.**		
	.1 Stills.		
	Thinner Walls, Higher Heat Release is Trend in Oil Still Design	Sept. 4,	R-326
737.	**Wax Plant Equipment.**		
	Emulsion Deoiling Process Separates Oil-Wax Mixtures, by A. H. Schutte	Nov. 13,	R-402
740.	**Refinery Operation and Control.**		
742.	**Operation and Control of Vapor Condensers and Heat Exchanges.**		
	.1 Corrosion of Condenser Coils.		
	Condenser Tube Service Depends on Fabrication	Dec. 11,	R-440
750.	**Specific Products and Their Manufacture.**		
751.	**Naphthas.**		
	.3 Engine Distillate.		
	Diesel Fuel in Houdry Distillate Close to Straight-Run Quality, by W. S. Mount and E. T. Scafe	July 10,	R 246
753.	**Lubricants and Related Oils.**		
	.1 Engine Oils.		
	Comb Lube Oil Distillate to Sift Out Undesirables	Sept. 18,	R-350
	.3 Cylinder Oils and Bright Stocks.		
	Make High-Grade Neutrals by Cracking Bright Stock, by C. R. Wagner	Dec. 25,	R-460
758.	**Greases.**		
	.91 Animal-Fat—Mineral-Oil Blends.		
	Versatility in Fatty Acid Selection Sharpens Control in Grease Making, by Dale V. Stingley	Oct. 2,	R-360
769.	**Auxiliary Plants and Departments About the Refinery.**		
	.74 Refinery Sewage-Disposal System.		
	New Waste Water Separator Recommended by A.P.I.	Dec. 25,	R-463
800.	**Utilization of Petroleum and Its Products.**		
815.	**Utilization of Gasoline in Internal Combustion Engines.**		
	Better Mileage is Now Preferred from Fuel, Engine Development	Sept. 18,	R-349
	Seek Vapor Lock Reduction in Aviation Fuel Systems	Nov. 13,	R-417
	Proper Maintenance Improves Mileage, Cuts Octane Requirements, A.P.I. Told (H. M. Trimble and K. C. Bottenberg paper)	Nov. 13,	29
	Engine Performance as Influenced by Ignition-Timing Maintenance (R. J. Greenshields and L. E. Hebl paper at A.P.I.)	Nov. 13,	32
	Gasoline Improvements Influence Auto Trends (W. G. Lovell paper at A.P.I.)	Nov. 13,	37
	Synthetic Hay for Our War Horses, by Robert E. Wilson	Nov. 20,	28
	.5 Fuel "Dopes" and Anti-Knock Compounds.		
	Gasoline Additive Improves Stability, Cuts Corrosion	Nov. 13,	R-416
	Tetraethyl Lead Stabilized by Activated Glyceride	Dec. 11,	R-457
817.	**Power Development with Diesel Engines.**		
	.1 Two-cycle Engines.		
	Fuels Savings Worth Change to Diesel Bus Operation	Nov. 13,	R-419
830.	**Utilization of Lubricants.**		
	Fuel and Lube Needs of Army Told to N.P.A. (R. N. Atwell and R. Marsh papers)	Sept. 25,	13
	Plan for Fewer Lube Grades Pushed by A.P.I. Committee	Sept. 25,	14
	Bearing Failures Accelerated by Metallic Soap Detergents	Nov. 13,	R-418
	Mougey Paper Starts Debate Over 'Heavy-Duty' Motor Oils (A.P.I.)	Nov. 20,	16
	Lubrication Problems Absorb A.S.M.E. at Annual Meeting	Dec. 11,	R-438
	.1 Theory and Principles of Lubrication.		
	Boundary Lubrication Explained by Polishing and Wedging Agents	Oct. 2,	R-364
832.	**Lubrication of Internal Combustion Engine Cylinders.**		
	Frequent Lubrication Needed Say Bearing Manufacturers, by J. N. Westsmith	July 10,	25
	New Piston Temperature Device Checks Oil and Fuel Qualities—A. F. Underwood and A. A. Catlin, S. A. E. paper	July 10	R-250

INDEX TO ADVERTISERS

Refining Technology Section

(*See also page 47*)

This index is published as a convenience to the reader. Every care is taken to make it accurate, but National Petroleum News assumes no responsibility for errors or omissions

Alcorn Combustion Co.	
American Asphalt Paint Co.	
American Meter Co.	
Badger & Sons Co., E. B.	
Chicago Bridge & Iron Co.	
Cross & Brown Co.	
du Pont de Nemours & Co., E. I.	
Filtrol Corp.	
Gasoline Products Corp.	
Graver Tank & Mfg. Co., Inc.	
Gray Processes Corp.	
Hanlon Buchanan, Inc.	
Hooker Electrochemical Co.	
Jenkins Petroleum Process Co.	
Johns-Manville Co.	
Johnston & Jennings Co.	R-15
Kellogg Co., M. W.	R- 9
Lummus Co.	
Merco Nordstrom Valve Co.	
Perco, Inc.	
Petroleum Rectifying Co. of Calif.	R- 5
Prichard Co., J. F.	
Sun Shipbuilding & Dry Dock Co.	
Taylor Instruments Companies	R- 7
Universal Oil Products	19

Index Number	Subject	Issue	Page
835.	**Lubrication of Journals, Bearings, etc.**		
	Babbitt Gets Second Wind After 100 Years in Bearings—K. K. Karpinski S.A.E. paper	Aug. 7,	R-296
840.	**Structural Uses of Petroleum Products.**		
841.	**Paving and Road Surfacing.**		
	Addition Agents in Asphalt Improve Road Construction	Nov. 27,	R-434
877.	**Use of Petroleum in Manufacture of Chemicals.**		
	New Uses for Petroleum By-Products Build Petroleum Chemical Industry	Oct. 2,	R-366
	Petroleum Synthetics Help 100-Octane Fuel Production, by L. Rosenstein	Nov. 13,	R-409
900.	**Economics of the Petroleum Industry.**		
930.	**Management of Oil Companies.**		
934.	**Labor Management.**		
.31	**Health: Working Conditions, Safety, Accident Prevention, and First Aid.**		
	Safety Thermometer Brings Refinery Accident Record, by W. W. Weldon	Oct. 16,	R-376
937.	**Plant Maintenance.**		
	Tubular Metal Scaffolds Adopted in Refinery	Nov. 27,	R-430

N.P.N. SEMI-ANNUAL AUTHOR INDEX
Of Refining Technology Articles
July-December 1940

Author	Title	Issue	Page
Atkinson, R. G.	—Slurry-Type Copper Treater Stops Octane Number Losses	Dec. 11,	R-450
Benz, W. G.	—High-Temperature Creep Strength Checked for Low-Alloy Steels (also by R. F. Miller and W. E. Unverzagt)	Aug. 21,	R-306
Buell, A. E.	—Catalytic Desulfurization Solves Problem in High-Sulfur Distillate (also by James E. Pew)	Oct. 2,	R-354
Carey, J. S.	—Catalytic Cracking Economics Complicate Comparisons (also by H. W. Ortendahl)	Oct. 16,	R-370
Cauley, S. P.	—Significance of Doctor Test for Gasoline Found Negligible	Aug. 7,	R-284
Emery, Paul W.	—Conventional Doctor Treating Adequate with Careful Control	Aug. 21,	R-302
Englin, B. A.	—Destructive Alkylation Produces High-Octane Aviation Gasoline (also by D. L. Gol'dshtein)	July 24,	R-262
Gol'dshtein, D. L.	—Destructive Alkylation Produces High-Octane Aviation Gasoline (also by B. A. Englin)	July 24,	R-262
Happel, John	—Significance of Doctor Test for Gasoline Found Negligible	Aug. 7,	R-284
Ipatieff, Vladimir N.	—Mixed Catalysts Promise Optimum in Hydrogenation of Benzene	Aug. 7,	R-280
Kurtz, S. S., Jr.	—Petroleum Solvents for Paints Compared by New Solvency Tests	July 24,	R-270
Lowry, Charles D., Jr.	—Revamped Doctor Plants Minimize Deficiencies	Aug. 21,	R-300
Miller, R. F.	—High-Temperature Creep Strength Checked for Low-Alloy Steels (also by W. G. Benz and W. E. Unverzagt)	Aug. 21,	R-303
Minor, H. B.	—Solutizer Sweetening Preserves Inhibitor Susceptibility (also by D. L. Yabroff, E. L. Walters, and A. C. Nixon)	Dec. 11,	R-445
Moldavskii, B.	—Catalytic Isomerization of Butane Yields 67-74% Isobutane (also by T. Nizovkina)	Nov. 27,	R-422
Mount, W. S.	—Diesel Fuel in Houdry Distillate Close to Straight-Run Quality	July 10,	R-246
Nixon, A. C.	—Solutizer Sweetening Preserves Inhibitor Susceptibility (also by D. L. Yabroff, E. L. Walters, and H. B. Minor)	Dec. 11,	R-445
Nizovkina, T.	—Catalytic Isomerization of Butane Yields 67-74% Isobutane (also by B. Moldavskii)	Nov. 27,	R-422
Ostergaard, Povl	—The Gulf Polyform Process (also by E. R. Smoley)	Sept. 18,	R-330
Ortendahl, H. W.	—Catalytic Cracking Economics Complicate Comparisons (also by J. S. Carey)	Oct. 16,	R-370
Pew, James E.	—Catalytic Desulfurization Solves Problem in High-Sulfur Distillate (also by A. E. Buell)	Oct. 2,	R-354
Robinson, P. M.	—Total Removal of Sulfur Compounds is Goal of Sweetening Technique	Aug. 21,	R-298
Rosenstein, L.	—Petroleum Synthetics Help 100-Octane Fuel Production	Nov. 13,	R-409
Scafe, E. T.	—Diesel Fuel in Houdry Distillate Close to Straight-Run Quality	July 10,	R-246
Schulze, Walter A.	—Doctor Test Has Indirect Value and Saves Refiners Headaches	Aug. 7,	R-290
Schutte, A. H.	—Emulsion Deoiling Process Separates Oil-Wax Mixtures	Nov. 13,	R-402
Smoley, E. R.	—The Gulf Polyform Process (also by Povl Ostergaard)	Sept. 18,	R-330
Stingley, Dale V.	—Versatility in Fatty Acid Selection Sharpens Control in Grease Making	Oct. 2,	R-360
Unverzagt, W. E.	—High-Temperature Creep Strength Checked for Low-Alloy Steels (also by R. F. Miller and W. G. Benz)	Aug. 21,	R-306
Van Voorhis, M. G.	—Catalytic Cracker Specializes in 100-Octane Fuel Base	Oct. 30,	R-386
Wagner, C. R.	—Make High-Grade Neutrals by Cracking Bright Stock	Dec. 25,	R-460
Walters, E. L.	—Solutizer Sweetening Preserves Inhibitor Susceptibility (also by D. L. Yabroff, A. C. Nixon, and H. B. Minor)	Dec. 11,	R-445
Weldon, W. W.	—Safety Thermometer Brings Refinery Accident Record	Oct. 16,	R-376
Westsmith, J. N.	—Frequent Lubrication Needed Say Bearing Manufacturers	July 10,	25
Wilson, R. E.	—Synthetic Hay for Our War Horses	Nov. 20,	28
Yabroff, D. L.	—Solutizer Sweetening Preserves Inhibitor Susceptibility (also by E. L. Walters, A. C. Nixon, and H. B. Minor)	Dec. 11,	R-445